

# Oil & Water Interface Probe

## *Geotech Interface Probe with ORS-Style Frame*

The Geotech Interface Probe with ORS-Style Frame accurately measures depth to hydrocarbons and water in monitoring wells and tanks by using an optical prism to detect hydrocarbon layers as thin as 1/200' (1.52mm).

### FEATURES

- **Rugged ORS-Style Frame, lightweight construction**  
Packaged in NEMA 3, weather resistant, rugged aluminum housing. Includes wiper assembly to clean and reduce dirt and hydrocarbons from entering the reel assembly.
- **Dependable, highly accurate**  
Measurements to depth of fluid are accurate to within 1/100' (3.05mm). Can detect hydrocarbon layers as thin as 1/200' (1.52mm).
- **Trigger-style brake lever**  
Holds the tape in position while measurements are recorded
- **Industry standard reliability**  
More than 8,000 units in use worldwide
- **Easy to use**  
Each portable unit is calibrated and comes complete for immediate use
- **Grounding clip provided for anti-static safety**
- **Automatic sleep function (Power Conservation Mode)**
- **Field replaceable sensing prisms on standard and chemical probes**
- **Made in USA**
- **Rental units available**
- **Chemically resistant probe available**
- **Optional small diameter probe is only 5/8" (1.6 cm) in diameter**



Standard 1" (2.5 cm) Intrinsicly Safe Probe



Optional 5/8" (1.6 cm) Probe

**CALL GEOTECH TODAY (800) 833-7958**

**Geotech Environmental Equipment, Inc.**

2650 East 40th Avenue • Denver, Colorado 80205


(303) 320-4764 • **(800) 833-7958** • FAX (303) 322-7242

email: [sales@geotechenv.com](mailto:sales@geotechenv.com) website: [www.geotechenv.com](http://www.geotechenv.com)

# Oil & Water Interface Probe



## Geotech Interface Probe with ORS-Style Frame



## SPECIFICATIONS

<b>Power:</b>	9 Volt DC (six field replaceable AA size batteries)
<b>Detectors:</b>	Optical prism (includes field replaceable spare) and conductivity sensor
<b>Dimensions:</b>	12" x 12" x 4" (30.48 x 30.48 x 10.16 cm)
Standard or Chemical Probe	1" (2.5 cm) in diameter
Small Probe	5/8" (1.6 cm) in diameter
<b>Weight:</b>	7.8 lbs. (2.9 kg)
<b>Enclosure Rating:</b>	NEMA 3
<b>Accuracy:</b>	Measurements of fluid depth accurate to within 1/100' (3.05 mm), detection of hydrocarbon layers as thin as 1/200' (1.52 mm)
<b>Standard:</b>	Lightweight, rugged ABS carrying case
<b>Warranty:</b>	1 year

**CALL GEOTECH TODAY (800) 833-7958**

**Geotech Environmental Equipment, Inc.**  
2650 East 40th Avenue • Denver, Colorado 80205  
(303) 320-4764 • (800) 833-7958 • FAX (303) 322-7242  
email: sales@geotechenv.com website: www.geotechenv.com